Safety Data Sheet

According to New Zealand, Hazardous Substances and New Organisms Act 1996 (HSNO Act)

and Regulations, as amended.

Initial preparation date: 01.08.2024 Page 1 of 11

FORTHYRON (200 μg, 400 μg) flavoured tablets

SECTION 1: Identification

Product identifier

Product name: FORTHYRON (200 μg, 400 μg) flavoured tablets

Synonyms: FORTHYRON **Additional information:** None

Recommended use of the product and restriction on use:

Relevant identified uses: VETERINARY USE; For the treatment of hypothyroidism in dogs.

Uses advised against: Not for human use.

Reasons why uses advised against: Veterinary product.

Manufacturer or supplier details

Supplier:

Dechra Veterinary Products NZ Limited

PO Box 1604,

Paraparaumu Beach, 5252

New Zealand

Phone: 0800 479 838 Email: info.nz@dechra.com

Website: http://www.dechra.co.nz/

Emergency telephone number:

National Poisons Centre, New Zealand

0800 764 766

SECTION 2: Hazards identification

Not Classified as a Dangerous Good according to NZS 5433:2012 Transport of Dangerous Goods on Land.

Classified in accordance with the Hazardous Substances (Hazard Classification) Notice 2020

HSNO Classification or Subclasses – Physical hazards: Not applicable

HSNO Classification or Subclasses – Health hazards:

Class	GHS Category	HSNO Category
Eye irritation	Category 2	6.4A
Skin irritation	Category 2	6.3A
Reproductive toxicity	Category 2	6.8B
Specific target organ toxicity - single exposure, respiratory tract irritation	Category 3,	6.9 (Respiratory tract irritant)

HSNO Classification or Subclasses – Environmental hazards: Not applicable **GHS classification:**

Skin irritation, category 2

Eye irritation, category 2

Reproductive toxicity, category 2

Specific target organ toxicity - single exposure, category 3, respiratory tract irritation

According to New Zealand, Hazardous Substances and New Organisms Act 1996 (HSNO Act) and Regulations, as amended.

Initial preparation date: 01.08.2024 Page 2 of 11

FORTHYRON (200 μg, 400 μg) flavoured tablets

Label elements

Hazard pictogram(s):





Signal word: Warning

Hazard statements:

H315 Causes skin irritation

H319 Causes serious eye irritation

H335 May cause respiratory irritation

H361 Suspected of damaging fertility or the unborn child.

Precautionary statements:

P102 Keep out of reach of children

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P280 Wear protective gloves

P271 Use only outdoors or in a well-ventilated area

P264 Wash hands thoroughly after handling.

P261 Avoid breathing dust.

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P362 Take off contaminated clothing and wash before reuse

P321 Specific treatment (see Sections 4-8 of this SDS and any supplemental information on the product label).

P332+P313 If skin irritation occurs: Get medical advice and attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337+P313 If eye irritation persists: Get medical advice or attention.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER if you feel unwell

P308+P313 If exposed or concerned: Get medical attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed

P405 Store locked up

P501 Dispose of contents and container in accordance with local regulations.

Hazards not otherwise classified:

None.

SECTION 3: Composition/information on ingredients

Mixture:

Identification	Name	Weight %
CAS number: 7789-77-7	Calcium hydrogen phosphate dihydrate	>70
CAS number: 9004-34-6	Microcrystalline cellulose	5-10
CAS number: 8013-01-2	Natural meat flavour	<10
CAS number: 9063-38-1	Sodium starch glycolate	<5

According to New Zealand, Hazardous Substances and New Organisms Act 1996 (HSNO Act) and Regulations, as amended.

Initial preparation date: 01.08.2024 Page **3** of **11**

FORTHYRON (200 μg, 400 μg) flavoured tablets

CAS number: 557-04-0	Magnesium stearate	<5
CAS number: 55-03-8	Levothyroxine sodium	<0.2

Additional information:

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret under the provisions of sections 55 (7) of the HSNO Act.

SECTION 4: First-aid measures

For advice, contact a Poisons Information Center (e.g. phone Australia 131 126, New Zealand 0800 764 766) or a doctor.

Description of first aid measures

General notes:

Show this Safety Data Sheet to the doctor in attendance.

After inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

After skin contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

After eye contact:

Rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

After swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

Most important symptoms and effects, both acute and delayed:

Acute symptoms and effects:

Skin contact may result in redness, pain, burning and inflammation.

Eye contact may result in irritation, redness, pain, inflammation, itching, burning and tearing. Inhalation may have adverse effects on the respiratory tract. Symptoms may include cough, breathing difficulties, sore throat and inflammation of the mucous membrane lining the respiratory tract.

Delayed symptoms and effects:

Effects are dependent on exposure (dose, concentration, contact time).

Long term exposure may affect fertility. Symptoms include, but are not limited to: menstrual problems, altered sexual behavior/fertility/ and pregnancy outcome. Long term exposure may also affect development of the unborn child. Symptoms include, but are not limited to: intrauterine growth retardation, pre-term birth, birth defects and postnatal death.

Immediate medical attention and special treatment:

Specific treatment:

If respiratory symptoms persist, seek medical attention.

According to New Zealand, Hazardous Substances and New Organisms Act 1996 (HSNO Act) and Regulations, as amended.

Initial preparation date: 01.08.2024 Page **4** of **11**

FORTHYRON (200 μg, 400 μg) flavoured tablets

Notes for the doctor:

Treat symptomatically.

Workplace Facilities:

No additional information.

SECTION 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing media:

Water mist/fog, carbon dioxide, dry chemical or alcohol-resistant foam.

Unsuitable extinguishing media:

Do not use water jet.

Specific hazards during fire-fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

Special protective equipment for firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapours/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

Hazchem or Emergency Action Code:

Not Applicable.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapour, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

Environmental precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

Methods and material for containment and cleaning up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Reference to other sections:

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and storage precautions

Precautions for safe handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapour/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

According to New Zealand, Hazardous Substances and New Organisms Act 1996 (HSNO Act) and Regulations, as amended.

Initial preparation date: 01.08.2024 Page **5** of **11**

FORTHYRON (200 μg, 400 μg) flavoured tablets

Conditions for safe storage, including any incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

Sensitive to light. Do not store above 25°C. Return any divided tablet to the opened blister and use within 4 days.

Safe packaging material

Suitable material:

Not determined or not applicable.

Unsuitable material:

Not determined or not applicable.

SECTION 8: Exposure controls and personal protection









Occupational Exposure limit values:

Country (Legal	Substance	Identifier	Permissible concentration
Basis)			
New Zealand	Microcrystalline cellulose	9004-34-6	8-Hour TWA: 10 mg/m ³
	Magnesium stearate	557-04-0	TWA: 10 mg/m³ (No Asbestos and <1% Crystalline silica inhalable dust (as Stearates))
	Natural meat flavour	8013-01-2	8-Hour TWA: 10 mg/m³ (Inhalable dust [nuisance dusts])

Biological limit value:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Not determined or not applicable

Appropriate engineering controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapour, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Personal protection equipment

Eye and face protection:

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

According to New Zealand, Hazardous Substances and New Organisms Act 1996 (HSNO Act) and Regulations, as amended.

Initial preparation date: 01.08.2024 Page **6** of **11**

FORTHYRON (200 μg, 400 μg) flavoured tablets

Skin and body protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Respiratory protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

General hygienic measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

SECTION 9: Physical and chemical properties

Appearance	Solid
Colour	Off-white
Odour threshold	Not determined or not available.
pH	4.1 - 4.7
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapour pressure	Not determined or not available.
Vapour density	Not determined or not available.
Relative density	Not determined or not available.
Solubilities	Partly soluble in water
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Particle characteristics	Not determined or not available.

Other information

Density	Not determined or not available.

SECTION 10: Stability and reactivity

Reactivity:

Not reactive under recommended handling and storage conditions.

According to New Zealand, Hazardous Substances and New Organisms Act 1996 (HSNO Act) and Regulations, as amended.

Initial preparation date: 01.08.2024 Page **7** of **11**

FORTHYRON (200 μg, 400 μg) flavoured tablets

Chemical stability:

Stable under recommended handling and storage conditions.

Possibility of hazardous reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Conditions to avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources, moisture and incompatible materials.

Incompatible materials:

Strong acids and bases.

Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

Acute toxicity:

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Route	Result
Microcrystalline cellulose	dermal	LD50 Rabbit: > 2000 mg/kg
	inhalation	LC50 Rat: > 5.8 mg/L (4 hr [dust/mist])
	oral	LD50 Rat: > 5000 mg/kg
Magnesium stearate	dermal	LD50 Rat: >2000 mg/kg

Skin corrosion/irritation

Assessment: Causes skin irritation **Product data:** No data available.

Substance data:

Name	Result
Calcium hydrogen phosphate dihydrate	Causes skin irritation.

Serious eye damage/irritation:

Assessment: Causes serious eye irritation

Product data: No data available.

Substance data:

Name	Result
Calcium hydrogen phosphate	Causes serious eye irritation.
dihydrate	

Respiratory or skin sensitization:

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

According to New Zealand, Hazardous Substances and New Organisms Act 1996 (HSNO Act) and Regulations, as amended.

Initial preparation date: 01.08.2024 Page 8 of 11

FORTHYRON (200 μg, 400 μg) flavoured tablets

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

International Agency for Research on Cancer (IARC): None of the ingredients are listed.

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Reproductive toxicity

Assessment:

Suspected of damaging fertility or the unborn child.

Product data: No data available.

Substance data:

Name	Result
Levothyroxine sodium	Suspected of damaging fertility or the unborn child.

Specific target organ toxicity (single exposure)

Assessment: May cause respiratory irritation.

Product data: No data available.

Substance data:

Name	Result
Calcium hydrogen phosphate	May cause respiratory irritation.
dihydrate	

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
	Causes damage to organs (thyroid, gastrointestinal tract, cardiovascular system, kidneys) through prolonged or repeated exposure.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Information on likely routes of exposure:

Inhalation, skin and eye contact.

Symptoms related to the physical, chemical and toxicological characteristics:

See section 4 of this SDS.

Other information:

No data available.

According to New Zealand, Hazardous Substances and New Organisms Act 1996 (HSNO Act) and Regulations, as amended.

Initial preparation date: 01.08.2024 Page **9** of **11**

FORTHYRON (200 μg, 400 μg) flavoured tablets

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Chronic (long-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Persistence and degradability
Product data: No data available.
Substance data: No data available.

Bioaccumulative potential

Product data: No data available. **Substance data:** No data available.

Mobility in soil

Product data: No data available.

Substance data: No data available.

Hazard to the ozone layer

Product data: No data available.

Substance data: No data available.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

Contaminated packages:

Not determined or not applicable.

Disposal methods that should not be used:

No additional information.

SECTION 14: Transportation information

Road/Rail transport: (NZS 5433:1999)

, d		
UN number	Not regulated	
UN proper shipping name	Not regulated	
UN transport hazard class(es)	None	
Packing group	None	
Environmental hazards	None	
Special precautions for user	None	

According to New Zealand, Hazardous Substances and New Organisms Act 1996 (HSNO Act) and Regulations, as amended.

Initial preparation date: 01.08.2024 Page **10** of **11**

FORTHYRON (200 μg, 400 μg) flavoured tablets

International Air Transport Association Dangerous Goods Regulations (IATA-ICAO)

UN number	Not regulated	
UN proper shipping name	Not regulated	
UN transport hazard class(es)	None	
Packing group	None	
Environmental hazards	None	
Special precautions for user	None	

International Maritime Dangerous Goods (IMDG)

UN number	Not regulated	
UN proper shipping name	Not regulated	
UN transport hazard class(es)	None	
Packing group	None	
Environmental hazards	None	
Special precautions for user	None	

Transport in bulk according to Annex II of MARPOL and the IBC Code: Not Applicable

SECTION 15: Regulatory information

New Zealand Inventory of Chemicals (NZIoC): All Ingredients are listed.

HSNO Classification or Subclasses:

Class	GHS Category	HSNO Category
Eye irritation	Category 2	6.4A
Skin irritation	Category 2	6.3A
Reproductive toxicity	Category 2	6.8B
Specific target organ toxicity - single exposure, respiratory tract irritation	Category 3	6.9 (Respiratory tract irritant)

HSNO Group Standard Name:	HSNO Approval Number:
Veterinary Medicines (Limited Pack Size,	HSR100757
Finished Dose) Group Standard 2020	

HSNO Controls: Not determined.

Approved handler test certificate: Not determined.

Tracking: Not determined.

Controlled substance license requirements: Not applicable.

Montreal Protocol (Ozone Depleting Substances): None of the ingredients are listed.

Stockholm Convention (Persistent Organic Pollutants): None of the ingredients are listed.

Rotterdam Convention (Prior Informed Consent): None of the ingredients are listed.

Basel Convention (Hazardous Waste): None of the ingredients are listed. **ACVM Number:** A011977 (Forthyron 200 μg); A011978 (Forthyron 400 μg)

According to New Zealand, Hazardous Substances and New Organisms Act 1996 (HSNO Act) and Regulations, as amended.

Initial preparation date: 01.08.2024 Page **11** of **11**

FORTHYRON (200 μg, 400 μg) flavoured tablets

SECTION 16: Other information

Abbreviations and Acronyms:

Action y more
Acute Toxicity Estimate
Bioconcentration Factor
Chemical Abstracts Service
Effective Concentration of 50%
Globally Harmonized System
Hazardous Substances and New Organisms
International Agency for Research on Cancer
International Air Transport Association
Intermediate Bulk Container
International Civil Aviation Organization
International Maritime Dangerous Goods
Lethal Concentration 50%
Lethal Dose 50%
International Convention for the Prevention of Pollution from Ships
New Zealand Inventory of Chemicals
Time Weighted Average
United Nations
Volatile Organic Compounds

Disclaimer:

The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

Initial preparation date: 01.08.2024

Revision Notes:

1.01.0.0.1	
Revision date	Notes
01-08-2024	Version 1

End of Safety Data Sheet